

Syracuse Trailblazers

May 25
2022





Connecting

Trailblazer Community Groups: Syracuse, NY Developers Group

- How we track membership, schedule meetings and RSVP to upcoming events

Twitter: @syracusedevs


- Posting formal meetups, informal gatherings, retweeting regional events and member activities

Chatter: Syracuse, NY Developers Group

- Conversations and discussions with other group members

Web: SyracuseDevelopers.com

- Links to the above sites, copies of slides/code presented at meetups





Upcoming Events

World Tour NYC - June 23

- Javits Center, NYC
- Free
- <https://www.salesforce.com/world-tour/nyc/home/>

Midwest Dreamin - July 20-22

- Minneapolis, MN
- \$189 to attend
- <https://www.midwestdreamin.com>

Dreamforce - September 20-22

- San Francisco, CA
- Likely Hybrid - In Person and Online
- Smaller than normal





Certifications

New Certification: Strategy Designer

- <https://trailhead.salesforce.com/en/credentials/strategydesigner>
- “Knowledge of how to use design methods to create compelling experience strategies that drive business outcomes using the Salesforce Platform”

Announced Certification: Business Analyst

Release Cycle	Date Available	Due Date*	Maintenance Modules Available
<u>Winter '22</u>	December 8, 2021	December 2, 2022	<u>Marketing Cloud Administrator</u> <u>Platform App Builder</u> <u>Platform Developer I</u> <u>B2C Solution Architect</u> <u>Architect Maintenance Module</u>



Summer 22



This presentation has not been created by Salesforce, Inc but is based on forward looking statements.

Statement under the Private Securities Litigation Reform Act of 1995:

This presentation may contain forward-looking statements that involve risks, uncertainties, and assumptions. If any such uncertainties materialize or if any of the assumptions proves incorrect, the results of salesforce.com, inc. could differ materially from the results expressed or implied by the forward-looking statements we make. All statements other than statements of historical fact could be deemed forward-looking, including any projections of product or service availability, subscriber growth, earnings, revenues, or other financial items and any statements regarding strategies or plans of management for future operations, statements of belief, any statements concerning new, planned, or upgraded services or technology developments and customer contracts or use of our services.

The risks and uncertainties referred to above include – but are not limited to – risks associated with developing and delivering new functionality for our service, new products and services, our new business model, our past operating losses, possible fluctuations in our operating results and rate of growth, interruptions or delays in our Web hosting, breach of our security measures, the outcome of any litigation, risks associated with completed and any possible mergers and acquisitions, the immature market in which we operate, our relatively limited operating history, our ability to expand, retain, and motivate our employees and manage our growth, new releases of our service and successful customer deployment, our limited history reselling non-salesforce.com products, and utilization and selling to larger enterprise customers. Further information on potential factors that could affect the financial results of salesforce.com, inc. is included in our annual report on Form 10-K for the most recent fiscal year and in our quarterly report on Form 10-Q for the most recent fiscal quarter. These documents and others containing important disclosures are available on the SEC Filings section of the Investor Information section of our Web site.

Any unreleased services or features referenced in this or other presentations, press releases or public statements are not currently available and may not be delivered on time or at all. Customers who purchase our services should make the purchase decisions based upon features that are currently available. Salesforce.com, inc. assumes no obligation and does not intend to update these forward-looking statements.



Summer 22



- Retirements
- Rebranding
- Generally Available
- Platform
- Admin
- Flows
- Code



Summer 22




Release Notes

- https://help.salesforce.com/s/articleView?id=release-notes.salesforce_release_notes.htm&type=5&release=238

Trailhead

- <https://trailhead.salesforce.com/quests/learn-moar>
- Complete the Admin or Developer trailmix by July 31 to win a certification voucher





Retirements

API Retirement in Summer 22

- Bulk API 16-20, SOAP API 7-20, Rest API 20 will go away in Summer 22
- These will become unavailable and fail with an error message
- All old integrations must upgrade their APIs or they will fail

API Retirement in Summer 23

- Bulk API 21-30, SOAP API 21-30, Rest API 21-30 will go away in Summer 23
- Deprecated and no longer supported in Summer 22

New Error Code

- HTTP Error 410:GONE



https://help.salesforce.com/s/articleView?id=release-notes.rn_api_retirement_7_20.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_api_upcoming_retirement.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_api_error_code_added.htm&type=5&release=238

Retirements




Trailblazer
COMMUNITY GROUPS

LIVE

Retirement Timeline

All future looking dates are estimates and subject to change



Rebranding



Trailblazer
COMMUNITY GROUPS

High Velocity Sales → Sales Engagement

myTrailhead → part of Sales Enablement add on

Tableau CRM → CRM Analytics

MuleSoft Composer for Salesforce → Flow Integration

Marketing Cloud

Messaging/Journeys → Marketing Cloud Engagement

Interaction Studio → Marketing Cloud Personalization

Datorama → Marketing Cloud Intelligence

Salesforce CDP → Marketing Cloud Customer Data Platform

Advertising Studio → Marketing Cloud Advertising

Pardot → Marketing Cloud Account Engagement

https://help.salesforce.com/s/articleView?id=release-notes.rn_sales_hvs_rename_sales_engagement.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_sales_enablement_terminology.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_composer.htm&type=5&release=238





Trailblazer
COMMUNITY GROUPS

Generally Available

Inline Edit on Reports

Permission Set Expirations

Permission Set Enhanced User Interface

Transaction Security Critical User Permissions

Report Type Selector on New Report screen

Workflow to Flow conversion utility



https://help.salesforce.com/s/articleView?id=release-notes.rn_rd_reports_multi_inline_editing_ga.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_permissions_assn_expiration.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_permissions_create_critical_user_policy.htm&type=5&release=238


Sales Cloud

Sales Engagement (formerly called High Velocity Sales)

- Now included in Unlimited & Performance editions without an add-on license
- Includes sales cadences, work queues and sales console

Sales Cloud Einstein

- Now included in Unlimited & Performance editions without an add-on license
- Includes Account & Opportunity Insights, Automated Contacts, Lead Score, Opportunity Scoring, Forecasting, Conversion Insights, Einstein Activity Capture, Salesforce Inbox and Sales Analytics



https://help.salesforce.com/s/articleView?id=release-notes.rn_sales_einstein_included_in_ue.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_sales_other_sc_to_ue.htm&type=5&release=238

Reports

Limit tabular report rows (Demo)


- Add as a Filter

Summarize by Median (Demo)

- Median is the middle number in a sorted list of numbers

Report on selected objects (Beta)

- Filter report types



https://help.salesforce.com/s/articleView?id=release-notes.rn_rd_reports_limit_results_tabular_report.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_rd_reports_filter_by_salesforce_objects_beta.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_rd_reports_dashboards_median_function.htm&type=5&release=238



Admin

Bulk Manage Picklist Values (Beta)

- Bulk delete, deactivate, activate or replace
- Available in sandboxes
- Contact account exec to enable in production

The screenshot shows two sections: 'Values' and 'Inactive Values'. The 'Values' section has a table with columns: Action, Values, API Name, Default, Chart Colors, and Modified By. It lists items like Coupon, Currency rate, Income, Cost of living, and Out of state. The 'Inactive Values' section has a table with columns: Action, Values, API Name, and Modified By. It lists items like Country to country, Exchange rate, and Locale adjustment. Both sections have buttons for 'Delete Selected', 'Deactivate Selected', and 'Replace Selected'.

Email when inactive values get large

- Checks for picklists with more than 4000 inactive values
- Looks at all custom picklist fields for you

Get a list of custom picklist fields with inactive values
 Get an email that tells you which custom picklist fields have more than 4,000 inactive values. Use this information to delete inactive unused values in the identified picklists. When you remove inactive values, it helps to ensure the stability and performance of your picklist fields.

[Email Me](#)



https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_fields_bulk_manage_picklist_values.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_fields_picklist_inactive_values_email.htm&type=5&release=238



Admin


Bulk Delete Picklist Values (Beta, Demo with Account.Active__c)

- Bulk delete inactive values
- Custom picklists only, not standard picklists or multiselect
- Used to have to do 1 by 1
- If inactive but referenced in a record, it is not deleted

Dup picklist value alert (Demo)

- More clarity on which picklist values are duplicates

https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_fields_picklist_delete_inactive_values.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_fields_picklist_duplicate_values_message.htm&type=5&release=238




Admin

Address Field (Beta, Demo)

- Make a compound Address field that behaves like the standard address fields
- Currently very restricted. Can't use in Flows, Data Import Wizard, Bulk Api, Reports
- Uses the global State and Country Picklists

Search Layout Renamed

- Search Layouts for Salesforce Classic was renamed to List View Button Layout



https://help.salesforce.com/s/articleView?id=release-notes.rn_general_custom_address.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_search_list_view_button_layout.htm&type=5&release=238

Admin



New Formula Functions

- DAYOFYEAR - Returns the day of the calendar year (from 1 through 366).
 - FORMATDURATION - Formats the number of seconds with optional days, or the difference between times or dateTimes as HH:MI:SS.
 - ISOWEEK - Returns the ISO 8601-week number (from 1 through 53) for the given date, ensuring that the first week starts on a Monday.
 - ISOYEAR - Returns the ISO 8601 week-numbering year in four digits for the given date, ensuring that the first day is a Monday.
 - UNIXTIMESTAMP - Returns the number of seconds since 1 Jan 1970 for the given date, or number of seconds in the day for a time.
-
- ACOS -Returns the arc cosign of the number in radians, if the given number is between -1 and 1. Otherwise returns NULL.
 - ASIN - Returns the arc sine of the number in radians, if the given number is from -1 through 1. Otherwise returns NULL.
 - ATAN - Returns the arc tangent of the number in radians.
 - ATAN2 - Returns the arc tangent of the quotient of y and x in radians.
 - CHR - Returns a string with the first character's code point as the given number.
 - COS - Returns the cosine of the number in radians, if the given number is between -1 and 1. Otherwise returns NULL.
 - FROMUNIXTIME - Returns the dateTime that represents the given number as the seconds elapsed since 1 Jan 1970.
 - PI - Returns pi.
 - SIN - Returns the sine of the number, where the number is given in radians.
 - TAN - Returns the tangent of the number, where the number is given in radians.
 - TRUN - Truncates a number to a specified number of digits.
-
- ASCII - Returns the first character's code point from the given string as a number.
 - INITCAP- Returns the text as lowercase with the first character of each word in uppercase.

https://help.salesforce.com/s/articleView?id=release-notes.rn_general_new_formula_functions.htm&type=5&release=238





Trailblazer
COMMUNITY GROUPS

Admin

Dynamic Related List (Demo)

- More related list options than just the one you get on a page layout
- Change columns, add filters, sort options
- Rename the related list
- Add multiple related lists for the same object
- Add button actions
- Use conditional visibility

https://help.salesforce.com/s/articleView?id=release-notes.rn_forcecom_lab_dynamic_related_lists.htm&type=5&release=238



Flows

Formulas as Flow Entry Conditions

- Can now create a formula as an entry condition (similar to process builder)

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

New Formulas for Conditions ⓘ

• Formula

[Check Syntax](#)

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_builder_use_formulas_as_flow_entry_conditions.htm&type=5&release=238



Flows



Flow Tests (Beta)

New Test (Beta)

Set Test Details, Trigger, and Path
Configure a test that verifies the flow runs as expected.

* Label * API Name

Description

Set Test Trigger and Path

Select whether the test is triggered to run when a record is created or updated. A test can take only the flow path that runs immediately.

* Run the Test When a Record Is:

Created

Updated

Path for Test

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_debug_tests.htm&type=5&release=238




Flows

Flow Trigger Explorer (Demo with FlowOrder object)

- Auto fill in object and flow type (created, updated, deleted) when creating new flow
- Drag and drop flow ordering
- Access flow trigger from object manager - Flow Triggers page

Section Headers

- Add headers to sections in screen flows



The screenshot shows a 'New Hire Setup' form with a 'Section' header. The form is divided into two main sections: 'Job Details' and 'Workstation'. The 'Job Details' section contains fields for Title, Department (a dropdown menu), Status (radio buttons for Permanent and Temporary), Hours (radio buttons for Full Time and Part Time), Compensation Type (radio buttons for Hourly and Salary), Annual Salary, and Hourly Wage. The 'Workstation' section contains fields for Workstation Type (radio buttons for In Office and Remote), Computer (a toggle switch for Not Needed), Computer Type (radio buttons for Laptop), Desk (a toggle switch for Not Needed), and Desk Type (radio buttons for Standing).

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_trigger_explorer_run_order.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_trigger_explorer_create_flows.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_trigger_explorer_object_manager.htm&type=5&release=238

https://help.salesforce.com/s/articleView?id=release-notes.rn_automate_flow_builder_add_section_headers.htm&type=5&release=238



Code

Bulk API has higher governor limits

- Bulk API and Bulk API 2.0 now consume the higher of the synchronous & asynchronous per transaction Apex limits
- Maximum CPU time is 60 seconds

New Alert/Confirm/Prompt Modules

- Avoids cross origin errors from Javascript APIs
- Use `LightningAlert` instead of `window.alert()`
- Use `LightningConfirm` instead of `window.confirm()`
- Use `LightningPrompt` instead of `window.prompt()`

https://help.salesforce.com/s/articleView?id=release-notes.rn_api_bulk_2.htm&type=5&release=238&language=en_US
https://help.salesforce.com/s/articleView?id=release-notes.rn_lc_alert_confirm_prompt.htm&type=5&release=238





Code

Apex User Mode Database Operations (Beta)

- Declare if Apex DML operations run in user mode or system mode
- FLS and object permissions are honored
- Use WITH USER_MODE or WITH SYSTEM_MODE keyword in queries
- Account acc = new Account(); insert as user Acc;

Apex Tests run faster in sandboxes

- Testing resource allocation is now better distributed

https://help.salesforce.com/s/articleView?id=release-notes.rn_apex_UserMode_Database_Operations_Beta.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_apex_parallel_apex_test_resources.htm&type=5&release=238





Code

API Total Usage

- API Total Usage event monitoring now reports on API version 31-49
- Free for all customers

Change Data Capture

- Now supports TextArea fields

AuraEnabled Method Overloads

- Overloading AuraEnabled methods are no longer supported

https://help.salesforce.com/s/articleView?id=release-notes.rn_security_em_apitotalusage_added_versions.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_change_events_textarea.htm&type=5&release=238
https://help.salesforce.com/s/articleView?id=release-notes.rn_apex_validationforauraenabledannotation.htm&type=5&release=238



Thank You For Coming!



Download the slides

- https://syracusedevelopers.com/meetings/202205/SyrDevs_2022-05.pdf

